## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office					
Retu	urned to applicant for correction SEP 1.2.1974				
Cori	rected application filed SEP 2 3 1974 Map filed SEP 2 3 1974 under 28575				
The	applicant Preferred Equities Corporation				
32	25 Maryland Parkway of Las Vegas Street and No. or P.O. Box No. City or Town				
	Avada 89101 , hereby make S application for permission to change the State and Zip Code No.  Lace of Use and Manner of Use				
of w	rater heretofore appropriated under Application and Permit No. 17721				
	(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)				
1.	The source of water is underground source  Name of stream, lake or other source.				
2.	The amount of water to be changed 2.45 cfs  Second feet, acre feet.				
3.	- municipal				
4.	The water heretofore used for irrigation and domestic purposes				
5.	If for stock state number and kind of animals.  The water is to be diverted at the following point. SW4 NE4 of Section 9; T.19S., R.53E.,				
	M.D.B.&M. NW corner of said Section 9 bears North 58° 52' 20" West Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be a distance of 3208.51 feet				
6.	The existing point of diversion is located within				
	If point of diversion is not changed, do not answer.				
7.	Proposed place of use E SE SE of Section 7; S SE SE NW and the S of Section  Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  8; Section 9; SW NW and SW of Section 10; NW of Section 16; N 2				
8.	of Section 17 and the N <sup>1</sup> / <sub>2</sub> NE <sup>1</sup> / <sub>4</sub> of Section 18 all in Township 19 South, Range 53 East, M.D.B.&M., Nye County, Nevada Existing place of use 160.96 acres within the SW <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub> , S <sup>1</sup> / <sub>2</sub> NW <sup>1</sup> / <sub>4</sub> , SE <sup>1</sup> / <sub>4</sub> , N <sup>1</sup> / <sub>2</sub> SW <sup>1</sup> / <sub>4</sub> , Describe by legal subdivisions. If presently used for irrigation, state number of acres irrigated.				
	Section 9, T.19S., R.53E., M.D.B.&M.				
	Use will be from January 1st to December 31st of each year.  Day and Month Day and Month				
10.	Use has been from March 1st to September 1st of each year.  Day and Month Day and Month				
11.					
	specifications of your diversion or storage works.) well, electric pump and approximately State manner in which water is to be diverted, whether by dam or other works,				
	three miles of underground water line. whether through pipes, ditches, flumes, or other conduits.				

12.	Estimated cost of work	s \$15,000.00					
	19/14						
13.	Estimated time required	I to construct worksf	five years				
14.	. Estimated time required to complete the application of water to beneficial use <u>seven years</u>						
15.	Remarks: For use other	than irrigation or stock	watering, state number and type	e of units to be se	erved or ann	ual	
	consumptive use.			•	•		
		·.					
	48		<del>.</del>			'	
			·				
			, s				
Con	npared 10/1k	jw/lk	Applicant Preferred	Equities (	Corporat	ion	
			By s/ Richard J. Richard J.	Baughman	7gon+		
			2325 W	. Charlesto	on Blvd.		
		APPROVAL	of state enginee	Ras, NV 891	102		
	This is to certify that I	have examined the fore	egoing application, and do hereb	y grant the same	, subject to	he	
follo	wing limitations and con	ditions:					
17 wi eq	721 and with th 11 be affected uipped with a 2	ne understandin by the change 2-inch opening	d conditions imposed ng that no other rig proposed herein. The and a totalizing me discharge pipeline	hts on the he well sha ter must be	source all be		
of plane of and are Sta	diversion and aced to benefice fore any use of work is filed. d maintained to be designated be	accurate measurial use. The the water beg. If the well prevent wastery the State English right to regu	rements must be kep totalizing meter mu gins or before the pa is flowing, a valve e. This source is languaged agineer pursuant to be alate the use of the	t of water st be instaron of cor must be in ocated with NRS 534.030	alled mpletior nstalled hin an 0. The		
of pla be of and are Sta	diversion and aced to benefice fore any use of work is filed. d maintained to be designated kate retains the	accurate measurial use. The the water beg If the well prevent waster the State English to regular all times.	rements must be kep totalizing meter mu gins or before the p is flowing, a valve e. This source is l agineer pursuant to	t of water st be instaron of cor must be in ocated with NRS 534.030	alled mpletior nstalled hin an 0. The		
of plane and str gra	diversion and aced to benefice fore any use of work is filed. d maintained to ea designated kate retains the anted at any are eattached sheet	accurate measurial use. The state water beg. If the well prevent waster the state English to regulations.	trements must be kep totalizing meter mu gins or before the p is flowing, a valve e. This source is le agineer pursuant to alate the use of the	t of water st be insta roof of con must be in ocated with NRS 534.030 water here	alled mpletior nstalled hin an 0. The ein	l	
of plane of an arc St. Se	diversion and aced to benefice fore any use of work is filed. d maintained to ea designated kate retains the anted at any are eattached sheet amount of water to be	accurate measurial use. The state water beg. If the well oprevent waster by the State English to regulation all times.  changed shall be limited.	totalizing meter mugins or before the pairs flowing, a valve a. This source is largineer pursuant to late the use of the	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here	alled mpletion nstalled hin an 0. The ein	l	
of plant of an art of start of	diversion and aced to benefice fore any use of work is filed. It is designated to be attached at any are attached sheet amount of water to be acced	accurate measurial use. The state water beg If the well or prevent waster by the State English to regulate all times.  Changed shall be limited.	trements must be kep totalizing meter mugins or before the prisched flowing, a valve a. This source is largineer pursuant to alate the use of the dot the amount which can be a complete feet per second.	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex	alled mpletion nstalled hin an 0. The ein al use, and n	not 	
of plant of an art of start of	diversion and aced to benefice fore any use of work is filed. It is designated to be attached at any are attached sheet amount of water to be acced	accurate measurial use. The state water beg If the well or prevent waster by the State English to regulate all times.  Changed shall be limited.	trements must be kep totalizing meter mugins or before the prisched flowing, a valve a. This source is largineer pursuant to alate the use of the dot the amount which can be a complete feet per second.	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex	alled mpletion nstalled hin an 0. The ein al use, and n	not 	
of plant of and are St. See The to example Actual Actual Actual Control of the plant of the plan	diversion and aced to benefice fore any use of work is filed. It is discoursed to be a designated the anted at any are attached sheet amount of water to be acced	accurate measurial use. The sial use. The state beg. If the well of prevent waster by the State End all times. The changed shall be limited annually.	totalizing meter mugins or before the pris flowing, a valve a. This source is largineer pursuant to alate the use of the dot the amount which can be a cubic feet per second	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex	alled mpletion nstalled hin an 0. The ein aluse, and n xceed	not 	
of plants of and are started a	diversion and aced to benefice fore any use of work is filed. It is discoursed to be a designated to be a terror and are a terror and a	accurate measurial use. The state water beg If the well or prevent waster by the State English to regulate all times.  The changed shall be limited as a state work shall be filed before work shall be filed before	trements must be kep totalizing meter mugins or before the prise flowing, a valve a. This source is largineer pursuant to alate the use of the dot the amount which can be a cubic feet per second	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March	alled mpletion nstalled hin an 0. The ein aluse, and ne xceed 20, 197	not  25	
of plants of and are started a	diversion and aced to benefice fore any use of work is filed. It is discoursed to be a designated to be a terror and are a terror and a	accurate measurial use. The state water beg If the well or prevent waster by the State English to regulate all times.  The changed shall be limited as a state work shall be filed before work shall be filed before	trements must be kep totalizing meter mugins or before the prise flowing, a valve a. This source is largineer pursuant to alate the use of the dot the amount which can be a cubic feet per second	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March	alled mpletion nstalled hin an 0. The ein aluse, and ne xceed 20, 197	not  25	
of plants of and are started a	diversion and aced to benefic fore any use of work is filed. d maintained to ea designated k ate retains the anted at any are eattached sheet amount of water to be acced. 2.45  4.8 acre-feet and construction work shaped of commencement of water to be known and construction work shaped of of commencement of water to be the construction work shaped of the commencement of water to be the commencement of water to be the construction work shaped of the commencement of water to be the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the commencement of water to be the construction work shaped of the construction water to be the construction work shaped of the construction water to be the construc	accurate measurial use. The state water beg If the well of prevent waster by the State English to regulate all times.  The water beg If the well of prevent waster by the State English to regulate all times.  The changed shall be limited before the reasonable diligence work shall be filed before the reasonable diligence.	trements must be kep totalizing meter mugins or before the pris flowing, a valve a. This source is largineer pursuant to alate the use of the must be a cubic feet per second	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March	alled mpletion nstalled hin an 0. The ein aluse, and n xceed 20, 197 20, 197	not	
of plant of	diversion and aced to benefice fore any use of work is filed. It was a designated to ea designated to ea the retains the anted at any are attached sheet amount of water to be acced	accurate measurial use. The state water beg. If the well or prevent waster by the State Enteright to regulate all times.  The changed shall be limited all times.  The changed shall be limited by the State Enteright to regulate all times.  The changed shall be limited by the state Enteright to regulate all times.  The changed shall be limited by the state all be filed before	totalizing meter mugins or before the pris flowing, a valve a. This source is largineer pursuant to alate the use of the dot the amount which can be a cubic feet per second but and be completed on or before.	t of water st be insta roof of con must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March  February  March	alled mpletion nstalled hin an 0. The ein aluse, and n xceed 20, 197 20, 197 20, 197	not	
of plant of an architecture of architecture of an architecture of an architecture of architecture	diversion and aced to benefic fore any use of work is filed. d maintained to ea designated k ate retains the anted at any are eattached sheet amount of water to be acced. 2.45  4.8 acre-feet a sal construction work shaped of commencement of which we have be prosecuted with for completion of work lication of water to beneficiation of water to beneficiation of water to beneficiation of water to beneficiation of water to beneficiation.	accurate measurial use. The state water beg. If the well of prevent waster by the State English to regular all times.  The changed shall be limited all times.  The changed shall be limited before the reasonable diligence shall be filed before the shall	trements must be kep totalizing meter mugins or before the pris flowing, a valve a. This source is largineer pursuant to alate the use of the condition of the completed on or before.  The completed on or before	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March  February  March  February	alled mpletion nstalled hin an 0. The ein aluse, and naceed 20, 197 20, 197 20, 197 20, 197 20, 197	not	
of plant of	diversion and aced to benefic fore any use of work is filed. d maintained to ea designated k ate retains the anted at any are eattached sheet amount of water to be acced.  2.45 4.8 acre-feet and construction work shall construction work shall for completion of work lication of water to benefic of the application of w	accurate measurial use. The stal use. The stale is the water beg. If the well of prevent waster by the State English to regulate all times. The changed shall be limited and all times. The changed shall be limited to the reasonable diligence shall be filed before	trements must be kep totalizing meter mugins or before the prisched flowing, a valve at the source is larged from the source of the source feet per second.  This source is larged from the source of	t of water st be insta roof of cor must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March  February  March  February  March	alled mpletion stalled hin an 0. The ein aluse, and reced 20, 197 20, 197 20, 197 20, 198 20, 198	not	
of plant of	diversion and aced to benefic fore any use of work is filed. d maintained to ea designated k ate retains the anted at any are eattached sheet amount of water to be acced.  2.45 4.8 acre-feet and construction work shall construction work shall for completion of work lication of water to benefic of the application of w	accurate measurial use. The the water beg If the well or prevent waster by the State Enteright to regulate all times.  The changed shall be limited by the State Enteright to regulate all times.  The changed shall be limited by the State Enteright to regulate the shall be filed before. The changed shall be filed before the reasonable diligence shall be filed before the changed shall be made to be the changed shall be filed before. The changed shall be filed before the changed shall be filed by the changed shall be filed before the changed shall be filed by the changed shal	trements must be kep totalizing meter mugins or before the pris flowing, a valve a. This source is largineer pursuant to alate the use of the condition of the completed on or before.  The completed on or before	t of water st be insta roof of con must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March  February  March  February  March  March  March  March  March  March  March  March  March	alled mpletion stalled hin an 0. The ein aluse, and nate aluse	not	
of plants of pla	diversion and aced to benefic fore any use of work is filed. It was designated to ea designated to ea designated to ea the retains the anted at any are eattached sheet amount of water to be acced.  2.45 4.8 acre-feet and construction work shaped of commencement of work lication of water to benefication of water to benefication of work filed.	accurate measurial use. The the water beg If the well or prevent waster by the State Enteright to regular all times.  The changed shall be limited all times.  The changed shall be limited before the reasonable diligence shall be filed before the reasonable dil	totalizing meter mugins or before the pris flowing, a valve and the source is languaged and to the amount which can be a cubic feet per second but and be completed on or before and be filed on or before testimony whereof, I. Rostate Engineer of Nevada, have be	t of water st be insta roof of con must be in ocated with NRS 534.030 water here  pplied to benefici t not to ex  February  March  February  March  February  March  March  March  March  March  March  March  March  March	alled mpletion stalled hin an 0. The ein aluse, and nate aluse	not	

 $(\underline{x}, \underline{x}, \underline{x$ 

Terms: 28576

This permit is issued subject to the use applied for under this application and terminates the right to use for irrigation purposes. The period of use varies under Permits 28575 through 28580, inclusive, and the granting of this permit grants the right of use, for the entire year providing the total annual duty under the above referenced rights is not exceeded.

Further, this right to change the manner of use is issued on condition that any and/or all of the 4,942.00 acre-feet total annual duty granted that is not placed to a beneficial use will revert back to the source and not to the right being changed.

The combined total duty under this permit and Permits 28575, 28577, 28578, 28579 and 28580 is limited to 4,942.00 acre-feet of water annually.